



TC-P3601 Spec:7/I/O

IP Video Intercom Kit



KEY FEATURE:

- Plug & Play
- User friendly interface
- Standard PoE
- One-touch calling
- Remote unlocking
- CCTV integration



Tiandy Technologies Co.,Ltd



Tiandy Overseas



Tiandy



@tiandyofficial

Tiandy Technologies Co.,Ltd.

Email: sales@tiandy.com

Website: en.tiandy.com

Tel: +86-22-58596065

Fax: +86-22-58596048

SPECIFICATIONS:

Items	---	Detailed specifications
Model		Single button villa panel
Solution	CPU, RAM, ROM	V3LP ROM 128MB RAM 64MB
CMF	Colour	Black
	Material	Aluminum panel+Tempered glass+Plastic nameplate button+Plastic cover
	Finishing	Die-casting and painting
Audio	Microphone	✓
	Speaker	✓
	Narrowband audio codec	G.711
	Full duplex	✓
Video	Pixels	2MP
	Angle	Horizontal:110°, Vertical:67°, Diagonal:127°
	Video codec	H.264
	Video resolution	Up to 1080P
	FPS	25
	WDR	×
	Night vision	White Leds
Access	RFID card reader	13.56MHz(NFC)and 125kHz
	BLE	×
	Wiegand	✓
Network	WIFI	×
	Ethernet	Single ethernet port



Tiandy Technologies Co.,Ltd



Tiandy Overseas



Tiandy



@tiandyofficial

Tiandy Technologies Co.,Ltd.

Email: sales@tiandy.com

Website: en.tiandy.com

Tel: +86-22-58596065

Fax: +86-22-58596048

Hardware Interface	Relay	2
	Power unlock	×
	RS485	✓
	Tamper alarm	✓
	Alarm input	2
	Alarm output	2
	Door sensor	✓
	Exit buton	✓
	Reset	✓
	Micro SD card	×
Power	PoE	✓
	DC power supply	12V/1A
	Power consumption	< 10 W
Others	IP/IK level	IP65 IK08
	Indicator light	✓
	Nameplate	✓
	IR sensor	×
	Motion detection	×
	Photoresistor	✓
Installation	Installation	Surface mount
Working Temperature	Working temperature	-40°C~+55°C
Items	---	Detailed specifications
Model		7 inch Linux indoor monitor
Solution	RAM	128MB
	ROM	128MB
	System	Linux
Design	Colour	Black+Darkgray



Tiandy Technologies Co.,Ltd



Tiandy Overseas



Tiandy



@tiandyofficial

Tiandy Technologies Co.,Ltd.

Email: sales@tiandy.com

Website: en.tiandy.com

Tel: +86-22-58596065

Fax: +86-22-58596048

	Material	Plastic
Screen	Type	TFT
	Resolution	1024×600
Audio	Speaker	✓
	Mic	✓
	Narrowband audio codec	G.711
Video	Camera	×
Network	WIFI	✓
	Ethernet	Single ethernet port
Hardware Interface	Relay	1
	RS485	✓
	Tamper alarm	×
	Alarm zones	8
	12V output	×
	Doorbell in	✓
	Reset	×
	Micro USB	For debug only
	Micro SD card	✓
Power	PoE	✓
	DC power supply	12V
	Power consumption	less than 6W
Others	Languages	Chinese Simplified,Chinese Traditional English,Spanish,German,Polish,Russian, Turkish,Hebrew,Arabic,Portuguese,French,Italian,Slovak,Vietnamese,and Dutch
Installation	Installation	Surface mount
Working Temperature	Working temperature	-10°C~+55°C



Tiandy Technologies Co.,Ltd



Tiandy Overseas



Tiandy



@tiandyofficial

Tiandy Technologies Co.,Ltd.



Email: sales@tiandy.com

Website: en.tiandy.com

Tel: +86-22-58596065

Fax: +86-22-58596048

DIMENSIONS:



Tiandy Technologies Co.,Ltd



Tiandy Overseas



Tiandy



@tiandyofficial

Tiandy Technologies Co.,Ltd.

Email: sales@tiandy.com

Website: en.tiandy.com

Tel: +86-22-58596065

Fax: +86-22-58596048